

1 Status	Final Text
2 Date of Last Update	2025/04/01
3 Person Assigned	David Clunie mailto:dclunie@dclunie.com
4	
5 Submitter Name	David Clunie mailto:dclunie@dclunie.com
6	
7 Submission Date	2024/08/09

8 Correction Number CP-2438
9 Log Summary: Update DICOM to reflect changes in IHTSDO SNOMED CT-DICOM Subset for JUL 2024 INT Release
10 Name of Standard
11 PS3.16 2025a

1 Rationale for Correction:

2 The following concepts have been inactivated in the July 2024 INT release:

- 3 • 108290001 Radiation oncology AND/OR radiotherapy (procedure)
- 4 • 314122007 Maintenance therapy (procedure) - CRS#964190 - replaced with cancer-specific concept that is less vague wrt.
5 application, 1345242003 Maintenance antineoplastic therapy (regime/therapy)
- 6 • 413581001 Asian or Pacific islander (racial group) - we will continue to use since disagree w. SNOMED
- 7 • 414481008 Indian (racial group) - we will continue to use since disagree w. SNOMED
- 8 • 413490006 American Indian or Alaska native (racial group) - we will continue to use since disagree w. SNOMED
- 9 • 413600007 Australian aborigine (racial group) - we will continue to use since disagree w. SNOMED
- 10 • 284355001 Structure of left ventricle anterior segment (body structure)
- 11 • 284357009 Structure of left ventricle inferior segment (body structure)
- 12 • 284358004 Structure of left ventricle lateral segment (body structure)
- 13 • 284356000 Structure of left ventricle septal segment (body structure)|
- 14 • 103716009 Placement of stent (procedure)
- 15 • 307279007 Prosthetic replacement of heart valve (procedure) - replacement omits "prosthetic" aspect - reconsideration approved
16 and will be reactivated - CRS#964191
- 17 • 33272004 Structure of myocardium of posterolateral region (body structure) - we requested reconsideration of this inactivation
18 CRS#964192; SNOMED's suggested replacements do not seem equivalent:
 - 19 • 264846001 Structure of basal inferior segment of left cardiac ventricle (body structure)
 - 20 • 16239001 Structure of myocardium of inferolateral region of left ventricle (body structure)|
 - 21 • See also "<https://confluence.ihtsdotools.org/display/cmag/Revision+of+segmental+models+of+the+cardiac+wall>"
 - 22 • See also "<https://confluence.ihtsdotools.org/display/IAP/Cardiac+wall+and+segment+models>"
 - 23 • SNOMED commented: *"I could not find references for the posterolateral region apart from the segment model of the left ventricle. Because of the potential ambiguity of the word "posterior" for the anatomy of the heart, it is not clear about the specific region. From a gross anatomy aspect, posterior (base) surface of the heart, the true cardiac base, is somewhat quadrilateral, with curved lateral extensions...formed mainly by the left atrium, and only partly by the posterior part of the right atrium. This description of the anatomical base reflects the usual position of the heart in the thorax. Would a new concept posterior (base) surface of heart be suitable for the requirement? Note, currently posterior surface is an incorrect synonym of 60383004 |Structure of diaphragmatic surface of heart (body structure)|"*
 - 31 • Action in absence of feedback from cardiologists - remove from CID 3718 with no replacement
 - 32 • 72542009 Structure of myocardium of diaphragmatic region (body structure) - we requested reconsideration of this inactivation
33 CRS#964193; SNOMED's suggested replacements do not seem equivalent:
 - 34 • 1335800009 Structure of myocardium of inferior region of left and right ventricles (body structure)
 - 35 • 367598003 Structure of myocardium of inferior region of left ventricle (body structure)
 - 36 • 60383004 Structure of diaphragmatic surface of heart (body structure)|
 - 37 • See also "<https://confluence.ihtsdotools.org/display/cmag/Revision+of+segmental+models+of+the+cardiac+wall>"
 - 38 • See also "<https://confluence.ihtsdotools.org/display/IAP/Cardiac+wall+and+segment+models>"

- 2 • SNOMED commented: "*the diaphragmatic region could be interpreted from two aspects. From the gross anatomy aspect, the*
3 *inferior (diaphragmatic) surface of the heart is largely horizontal. The inferior surface of the heart gently slopes anteroinferiorly*
4 *towards the cardiac apex. It is formed by the ventricles (primarily the left) and rests mainly on the central tendon but also, apically,*
5 *on a small area of the left muscular part of the diaphragm. It is represented by the new concept myocardium of inferior region*
6 *of left and right ventricles to be explicit. This is different from the inferior region in the segment model of the cardiac wall that*
7 *comprises the apical, mid and basal inferior segments of the left ventricle only. If the usage in DICOM is not about segment,*
8 *the new concept should be the replacement. Otherwise, it could be confused with the inferior region in the segment model that*
9 *only involves the left ventricle.*"
- 10 • Action in absence of feedback from cardiologists - remove from CID 3718 with no replacement
- 11 • 27483000 Diagnostic radiography with contrast media (procedure) - see also CP 2439
- 12 • 128953001 Catheterization of both left and right heart without graft (procedure) - we requested reconsideration of this inactivation
13 - reactivated CRS#964194 - so no change in this CP
- 14 • 133874006 Selective fetal reduction (procedure)
- 15 • 64318009 Diagnostic radiography, stereotactic localization (procedure)
- 16 • 19776001 Decreased size (finding) - we requested reconsideration of this inactivation - reactivated CRS#964195 - so no change
17 in this CP
- 18 • 4563007 Hospital admission, transfer from other hospital or health care facility (procedure)
- 19 • 15415002 Injection of amnion (procedure)
- 20 • 255046005 Neuroendocrine tumor (disorder)
- 21 • 12169001 Granular cell tumor (morphologic abnormality)
- 22 • 92652009 Carcinoma in situ of male breast (disorder) - Japanese translation of original and replacement lacks "in situ" concept
23 (added to French)
- 24 • 92248004 Benign neoplasm of nipple of female breast (disorder)
- 25 • 248536006 Finding of functional performance and activity (finding)
- 26 • 373270004 Substance with penicillin structure and antibacterial mechanism of action (substance)
- 27 • 421921003 Cannabinoid (substance) - not actually used in DICOM, but add its replacement anyway (to CID 6089 Substance)

28 Correction Wording:

1 *Amend DICOM PS3.16 as follows (changes to existing text are bold and underlined for additions and ~~struckthrough~~ for removals):*

2 TID 3802 Cardiovascular Patient History

3 **Table TID 3802. Cardiovascular Patient History**

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
4	>>	CONTAINS	TEXT	DCID 3769 "Concern Type"	1-n	U		

5 TID 5222 Pediatric, Fetal and Congenital Cardiac Ultrasound Section

6 **Table TID 5222. Pediatric, Fetal and Congenital Cardiac Ultrasound Section**

	NL	Rel with Parent	VT	Concept Name	VM	Req Type	Condition	Value Set Constraint
12	>>	HAS CONCEPT MOD	CODE	EV (307279007, SCT, "Prosthetic replacement of heart valve")	1	U		D???

13 CID 9 Image Guided Therapeutic Procedure

14 Version: 2024061420250401

15 **Table CID 9. Image Guided Therapeutic Procedure**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>403716009 1296925008</u>	Stent placement	P1-05550	G0522776 C2348535
SCT	<u>15415002 1269276008</u>	Amnioinfusion [injection of amnion]	P1-86520	C0521272
SCT	<u>133874006 265633004</u>	Fetocide (<u>selective reduction</u>) <u>Selective destruction of fetus</u>	P1-86C50 P0-00843	G1297889 C0410890

22 CID 622 Medication Type Code Type from Anesthesia Quality Initiative

23 Version: 2022092220250401

24 **Table CID 622. Medication Type Code Type from Anesthesia Quality Initiative**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>373270004 764146007</u>	Penicillin antibiotic	G-0024D	C0030842

33 CID 639 Tumor Graft Histologic Type

34 Version: 2023063020250401

1
2 **Table CID 639. Tumor Graft Histologic Type**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>255046005</u> <u>1290125003</u>	NMalignant neuroendocrine tumor	<u>DF-004BG</u>	<u>C0206754</u> <u>C2367165</u>

CID 3232 ST Segment Location8 Version: 20094024202504019 **Table CID 3232. ST Segment Location**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>284355004</u> <u>1335839000</u>	Left ventricle anterior segment	<u>T-3260A</u>	C0562222
SCT	<u>284357009</u> <u>367598003</u>	Left ventricle inferior segment	<u>T-3260G</u> <u>T-32638</u>	<u>C0562224</u> <u>C1288324</u>
SCT	<u>284358004</u> <u>1335824001</u>	Left ventricle lateral segment	<u>T-3260D</u>	C0562225
SCT	<u>284356000</u> <u>1335840003</u>	Left ventricle septal segment	<u>T-3260B</u>	C0562223
SCT	128564006	Left ventricle apical segment	T-32602	C0580781

CID 3250 Catheterization Procedure Phase

19 Version: 20160314

20 **Table CID 3250. Catheterization Procedure Phase**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	128952006	Catheterization of both left and right heart with graft	P1-3160A	C1293383
SCT	128953001	Catheterization of both left and right heart without graft	P1-3160B	C1293384
SCT	67629009	Catheterization of left heart	P1-31604	C0189897
SCT	40403005	Catheterization of right heart	P1-31602	C0189896

CID 3405 Procedure Action Value30 Version: 204908472025040132 **Table CID 3405. Procedure Action Value**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>403746009</u> <u>1296925008</u>	Stent placement	<u>P1-05550</u>	<u>C0522776</u> <u>C2348535</u>

CID 3718 Myocardial Wall Segments in Projection37 This Context Group specifies the left ventricular myocardial wall segments as seen in typical right anterior oblique (RAO) and left
38 anterior oblique (LAO) angiographic projections.39 Version: 2024032820250401

1
2
3
Table CID 3718. Myocardial Wall Segments in Projection

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	264850008	left ventricle basal anterior segment	T-32619	C0555926
SCT	73050001	myocardium of anterolateral region	T-32634	C0225907
SCT	47962008	myocardium of apex of heart	T-32636	C0225909
SCT	72542009	myocardium of diaphragmatic region	T-32632	C0225905
SCT	264846001	left ventricle basal inferior segment	T-32615	C0555929
SCT	33272004	myocardium of posterolateral region	T-32633	C0225906
SCT	16239001	myocardium of inferolateral region	T-32637	C0225910
SCT	264845002	left ventricle apical septal segment	T-32614	C0555923

12
CID 3729 Admission Status13
Version: 200708272025040115
Table CID 3729. Admission Status

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID	NCDR [2.0b] Equivalent
SCT	<u>4563007 308292007</u>	Transfer	P0-10240 P0-004F6	<u>C0184684 C1531390</u>	17-3

19
CID 3739 Cath Procedure Type20
Version: 2003032722
Table CID 3739. Cath Procedure Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID	NCDR Equivalent
SCT	40403005	Catheterization of right heart	P1-31602	C0189896	54-1
SCT	67629009	Catheterization of left heart	P1-31604	C0189897	54-2
SCT	128952006	Catheterization of both left and right heart with graft	P1-3160A	C1293383	
SCT	128953001	Catheterization of both left and right heart without graft	P1-3160B	C1293384	
DCM	122061	Percutaneous Coronary Intervention			54-3

33
CID 3769 Concern Type35
Version: 202406112025040136
Table CID 3769. Concern Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	1269496002	Complaint		C0277786
SCT	64572001	Disease	DF-00000	C0012634
SCT	404684003	Finding	R-005AE	C0037088

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	418799008	Finding reported by patient/informant	R-005E0	C1689949
SCT	248536006 423690003	Functional performance and activity Physical performance	F-03E55 F-04E56	C0424866 C1827056
SCT	55607006	Problem	F-01000	C0033213

CID 6003 Change Since Last Mammogram or Prior Surgery from BI-RADS®

Note

From BI-RADS® Third Edition (National Mammography Database, E79)

Version: **20020904**

Table CID 6003. Change Since Last Mammogram or Prior Surgery from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	129721008	New finding	F-01721	C1268649
SCT	129722001	Finding partially removed	F-01722	C1268650
SCT	129723006	No significant changes in the finding	F-01723	C1268651
SCT	15454001	Increase in size	M-02520	C0332509
SCT	19776001	Decrease in size	M-02530	C0332511
SCT	129726003	Increase in number of calcifications	F-01726	C1268654
SCT	129727007	Decrease in number of calcifications	F-01727	C1268655
SCT	129728002	Less defined	F-01728	C1268656
SCT	129729005	More defined	F-01729	C1268657
SCT	129730000	Removal of implant since previous mammogram	F-0172A	C1268658
SCT	129731001	Implant revised since previous mammogram	F-0172B	C1268659

CID 6031 Benign Pathology Code from BI-RADS®

Version: **2023063020250401**

Table CID 6031. Benign Pathology Code from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	12169004 404035005	Granular cell tumor	M-95800 DF-006C7	C0085167
SCT	92248004 1306316005	Benign neoplasm of nipple-of female breast (Nipple adenoma)	D7-F0840	C0686290 C1332519

CID 6033 Malignant Pathology Code from BI-RADS®

Version: **2023063020250401**

Table CID 6033. Malignant Pathology Code from BI-RADS®

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>92652009 189336000</u>	Carcinoma in situ of male breast	<u>D7-F0902 D1-F3507</u>	<u>C0686328 C0154084</u>

CID 6060 Breast Biopsy TechniqueVersion: 2046031420250401**Table CID 6060. Breast Biopsy Technique**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	392021009	Lumpectomy	P1-030C4	C0851238
UMLS	C0024881	Mastectomy		C0024881
SCT	172049005	Quadrantectomy of breast	P1-4834A	C0337354
SCT	<u>64318009 428907005</u>	<u>Diagnostic radiography, stereotactic localization</u> <u>Plain X-ray guided wire localization of breast lesion</u>	<u>P5-00092 P0-00C4B</u>	<u>E0202577 C1997063</u>
SCT	61593002	Ultrasonic guidance procedure	P5-B0700	C0442973
SCT	71651007	Mammography	P5-40010	C0024671
DCM	111487	Mammographic (crosshair)		
DCM	111488	Mammographic (grid)		
SCT	277592004	Magnetic resonance imaging guided biopsy	P1-03107	C0456854
SCT	277591006	Computed tomography guided biopsy	P1-03106	C0456853
DCM	111489	Palpation guided		
DCM	111490	Vacuum assisted		

CID 6085 Therapies for BreastVersion: 2023063020250401**Table CID 6085. Therapies for Breast**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>408290004 1287742003</u>	Radiation therapy	<u>P5-C00F8</u>	C1522449

CID 6089 SubstanceVersion: 2046031420250401**Table CID 6089. Substance**

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	398705004	Marijuana	F-61D6F	C0678449
<u>SCT</u>	<u>771355003</u>	<u>Cannabinoid</u>		<u>C2927148</u>

1 CID 6099 Racial Group

2 Note

3 This Context Group is intended to be a set of values that is the union of concepts used in various jurisdictions. It does not
4 distinguish race from ethnic group.

6 Version: 20240611

7 Table CID 6099. Racial Group

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	413464008	African race	S-0004E	C0027567
SCT	413582008	Asian race	S-00051	C0078988
SCT	413773004	Caucasian race	S-0003D	C0007457
SCT	413490006	American Indian or Alaska native	S-0004B	C1515945
NCIt	C41219	Native Hawaiian or other Pacific Islander		C1513907
SCT	413581001	Asian or Pacific Islander race	S-0004C	C1531604
SCT	413600007	Australian aborigine race	S-00052	C0337948
SCT	414481008	Indian race	S-0003E	C1524069
SCT	414408004	Hispanic	S-00045	C0086409
UMLS	C5690844	Middle Eastern or North African		C5690844
SCT	414752008	Mixed racial group	S-00043	C0682081

22 CID 6134 Chest Qualitative Temporal Difference Type

23 Version: 20090717

25 Table CID 6134. Chest Qualitative Temporal Difference Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	442755000	Difference in border shape	F-0517E	C2711283
SCT	442688001	Difference in border definition	F-05166	C2711343
SCT	442704007	Difference in distribution	F-0516C	C2711851
SCT	442711006	Difference in site involvement	F-05170	C2711937
SCT	442691001	Difference in substance	F-05167	C2711644
SCT	442700003	Difference in Texture	F-0516A	C2711323
SCT	129722001	Finding partially removed	F-01722	C1268650
SCT	129723006	No significant changes in the finding	F-01723	C1268651
SCT	15454001	Increase in size	M-02520	C0332509
SCT	19776001	Decrease in size	M-02530	C0332511
SCT	129728002	Less defined	F-01728	C1268656
SCT	129729005	More defined	F-01729	C1268657

1 CID 6146 Time Point Type

2 Version: 2022100220250401

4 Table CID 6146. Time Point Type

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
UMLS	C1442488	Baseline		
UMLS	C3539075	Pretreatment		
DCM	126074	Posttreatment		
DCM	126075	Eligibility		
UMLS	C1699701	Unscheduled		
UMLS	C1708760	Nadir		
SCT	262068006	Pre-operative	R-413C5	C0445204
SCT	262061000	Post-operative	R-413B7	C0032790
SCT	264908009	Post-radiation	R-424A6	C0445177
SCT	262502001	Post-chemotherapy	R-41AEA	C0439577
SCT	<u>314422007 1345242003</u>	Maintenance <u>antineoplastic</u> therapy	P0-006F0	C0677908
SCT	25173007	Recurrence of tumor	G-F517	C0521158

20 Note

- 21 1. (C1442488, UMLS, "Baseline") is (C25213, NCIt, "Baseline"). The undefined (121079, DCM, "Baseline") that is used
22 in ??? is not used in this context.
- 23 2. (C3539075, UMLS, "Pretreatment") is (C103341, NCIt, "Pretreatment").
- 24 3. (C1708760, UMLS, "Nadir") is (C43517, NCIt, "Nadir"), and is a synonymn for "lowest", though "nadir" is more commnly
25 used in the context of therapeutic response criteria.

26 CID 10014 CT Contrast Imaging Technique

28 Resources: [HTML](#) | [FHIR JSON](#) | [FHIR XML](#) | [IHE SVS XML](#)
29 Keyword: [CTContrastImagingTechnique](#)
32 FHIR Keyword: [dicom-cid-10014-CTContrastImagingTechnique](#)
33 Type: Extensible
36 Version: 2007103420250401
38 UID: 1.2.840.10008.6.1.546

39 Table CID 10014. Contrast Imaging Technique

Coding Scheme Designator	Code Value	Code Meaning	SNOMED-RT ID	UMLS Concept Unique ID
SCT	<u>27483000 1331946003</u>	<u>Diagnostic radiography with contrast media</u> <u>CT with contrast</u>	P5-00100	C0542435 C0742919
SCT	399331006	CT without contrast	P5-0808E	C1275400

E French Language Meanings of Selected Codes Used in the DCMR (Normative)

Table E-1. French Language Meanings of Selected Codes

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning French Language
SCT		19776001	Decrease in size	Diminution de taille
SCT		<u>12169004 404035005</u>	Granular cell tumor	Tumeur à cellules granuleuses
SCT		<u>92652009 189336000</u>	Carcinoma in situ of male -breast	Carcinome de l'homme <u>in situ</u>
SCT		<u>92248004 1306316005</u>	Benign neoplasm of nipple- of female -breast (<u>Nipple adenoma</u>)	Adénomatose (papillomatose) érosive du mamelon

Table E-2. Mapping of Pathology Codes used in DICOM to ADICAP

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning French Language	Equivalent ADICAP Code
SCT		<u>42169004404035005</u>	Tumeur à cellules granuleuses	X0H4

F Japanese Language Meanings of Selected Codes Used in The DCMR (Normative)

Table F-1. Japanese Language Meanings of Selected Codes

Coding Scheme Designator	Coding Scheme Version	Code Value	Code Meaning English Language	Code Meaning Japanese Language
SCT		19776001	Decrease in size	サイズの縮小
SCT		<u>12169004 404035005</u>	Granular cell tumor	顆粒細胞腫
SCT		<u>92652009 189336000</u>	Carcinoma in situ of male -breast	乳癌

J SNOMED Retired Codes

Table J-1. SNOMED Codes Retired from DICOM Use

Retired Code Value	Code Meaning	Replacement Code	Notes
53438000	Radiation therapy	<u>108290004 1287742003</u>	Replacement code has meaning of "Radiation oncology AND/OR radiotherapy (procedure)". Retired code is inactive in SNOMED CT.

Add new retired concepts to DICOM PS3.16:

J SNOMED Retired Codes

Table J-1. SNOMED Codes Retired from DICOM Use

Retired Code Value	Code Meaning	Replacement Code	Notes
108290001	Radiation therapy	1287742003	Replacement code has meaning of "Radiotherapy (procedure)". Retired code is inactive in SNOMED CT.

Retired Code Value	Code Meaning	Replacement Code	Notes
284355001	Left ventricle anterior segment	1335839000	Replacement code has meaning of "Structure of myocardium of anterior region of left ventricle (body structure)". Retired code is inactive in SNOMED CT.
284357009	Left ventricle inferior segment	367598003	Replacement code has meaning of "Structure of myocardium of inferior region of left ventricle (body structure)". Retired code is inactive in SNOMED CT.
284358004	Left ventricle lateral segment	1335824001	Replacement code has meaning of "Structure of myocardium of lateral region of left ventricle (body structure)". Retired code is inactive in SNOMED CT.
284356000	Left ventricle septal segment	1335840003	Replacement code has meaning of "Structure of myocardium of septal region of left ventricle (body structure)". Retired code is inactive in SNOMED CT.
103716009	Stent placement	1296925008	Replacement code has meaning of "Insertion of stent (procedure)". Retired code is inactive in SNOMED CT.
33272004	myocardium of posterolateral region		No replacement. Retired code is inactive in SNOMED CT.
72542009	myocardium of diaphragmatic region		No replacement. Retired code is inactive in SNOMED CT.
133874006	Fetocide (selective reduction)	265633004	Replacement code has meaning of "Selective destruction of fetus (procedure)". Retired code is inactive in SNOMED CT.
64318009	Diagnostic radiography, stereotactic localization	428907005	Replacement code has meaning of "Wire localization of lesion of breast using plain X-ray guidance (procedure)". Retired code is inactive in SNOMED CT.
4563007	Transfer	308292007	Replacement code has meaning of "Transfer of care (procedure)". Retired code is inactive in SNOMED CT.
15415002	Amnioinfusion [injection of amnion]	1269276008	Replacement code has meaning of "Injection of substance into amniotic cavity (procedure)". Retired code is inactive in SNOMED CT.
255046005	Neuroendocrine tumor	1290125003	Replacement code has meaning of "Neuroendocrine neoplasm, malignant (disorder)". Retired code is inactive in SNOMED CT.
12169001	Granular cell tumor	404035005	Replacement code has meaning of "Granular cell tumor (disorder)". Retired code is inactive in SNOMED CT.
92652009	Carcinoma in situ of male breast	189336000	Replacement code has meaning of "Carcinoma in situ of breast (disorder)". Retired code is inactive in SNOMED CT.

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	Retired Code Value	Code Meaning	Replacement Code	Notes
	92248004	Benign neoplasm of nipple of female breast (Nipple adenoma)	1306316005	Replacement code has meaning of "Benign neoplasm of nipple (disorder)". Retired code is inactive in SNOMED CT.
	248536006	Functional performance and activity	423690003	Replacement code has meaning of "General physical performance status (observable entity)". Retired code is inactive in SNOMED CT.
	373270004	Penicillin antibiotic	764146007	Replacement code has meaning of "Substance with penicillin structure (substance)". Retired code is inactive in SNOMED CT.
	314122007	Maintenance therapy	1345242003	Replacement code has meaning of "Maintenance antineoplastic therapy (regime/therapy)". Retired code is inactive in SNOMED CT.